

LED SPOT LIGHT GOOSE NECK MODEL FS2012



Lamp Type
Light Source
(Power consumption)

Housing

Colour Temp
Input Voltage
Working Frequency
Material

Facula Lux
Brightness Control

LED Spot Light

50,000 hours Service
Life

Polycarbonate
Moulding

5,500 K
180 ~ 220V AC


50 ~ 60HZ
Stainless Steel / Mobile
stand with castor wheels
and Goose Neck for
convenient Positioning
and Distance Adjustment

60,000
Adjustable

Features

- Malleable Goose Neck
- More light and less heat
- Versatile application
- Works on AC Volts
- Less light pollution
- Reduces strain on air conditioners

Floor Stand Model F/S - 2012



LED Light Wall Mount Model
W/M - 2012

Table Clamp Model T/C - 2012




**GYNAEC, OP.D.,
GENERAL SURGERY
& E.N.T.**



UNIVERSAL HALOGEN SPOT LAMP

**Examination Light/
O.T. Light for
critical applications
in General Surgery,
Gynaec., E.N.T.,
Dermatology &
Ophthalmology**

MULTIPURPOSE HALOGEN SPOT LAMP



**MODEL - HL 2000
12V -50W**

**Floor Stand Model
(Pedestal)**

HALOGEN WALL MOUNT




SILICONE MATT TRAY

Stainless Steel (Autoclavable)

S.S. Tray-Single

S.S. Tray-Double





LED SPOT LIGHT HAND TORCH-MULTI PURPOSE Model : LED - HT - 2012



Lamp Type	Spot Light - Hand Torch
Purpose	Examination in Gynaec, Minor / Surgery etc.,
Light Source	LED 50,000 hours services Life
Colour Temp	5,500 K
Input Voltage	180 ~ 220 V AC
Working Frequency	50 ~ 60 HZ
Material	Aluminium Die Cast
Facula Lux	60,000
Brightness Control	Adjustable